

document modification 00000000071349500

PC	PC Flowtec (CH)	Modi-Nr.	71349500	Old Modifi.Nr.	71152912
Valid till	30.09.2019	Status	saleable	Price Unit	000

Inclusions

root	TSP-Mrk	TSP Wrt	RuleID	060	500	520	530	540	550	570	580	590
O8F3B2F	070	999		SA, SD	AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AT	CA, CC, CH		EA, EB, ED, EE, EJ	FI	I8	JB, JC, JK, KA, KB, KF, KK, KP, KR	LN, LR,
S8F1B2F	070	999		SA, SD	AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AO, AQ, AR, AT	CA, CC, CH	DC, DD, DE, DF, DG, DH	EB, ED, EE		I8	JB, JC, JK, KA, KB, KF, KK, KP, KR	LN, LR,
S8F3B2F	070	999		LA, SA, SD	AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AT	CA, CC, CH	DC, DD, DE, DF, DG, DH, DR, DT	EA, EB, ED, EE, EJ	FD, FI	I8	JB, JC, JK, KA, KB, KF, KK, KP, KR	LA, LN,
S8F3B2F	070	999		LA, SA, SD	AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AT	CA, CC, CH	DC, DD, DE, DF, DG, DH, DR, DT, D9	EA, EB, ED, EE	FD, FI	I8	JB, JC, JK, KA, KB, KF, KK, KP, KR	LA, LN,
S8F5B2F	070	999		LA, SA, SD	AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AT	CA, CC, CH	DC, DD, DE, DF, DG, DH, DR, DS, DT, DU	EA, EB, ED, EE, EJ	FI	I8	JB, JC, JK, KA, KB, KF, KK, KP, KR	LA, LN,
S8F5B2F	070	999		SA	AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AT	CA, CC, CG, CH, CM	DC, DD, DE, DF, DG, DH, DR, DS, DT, DU	EA, EB, ED		I8	JB, JC, JK, KA, KB, KF, KK, KP, KR, K9	LA, LN,

Sales Text

8" (DN200), Cl.150, 1.4404/316/316L, flange ASME B16.5 Sch.40;

face-to-face length = 1935mm

Remark Text

Optional Price

Delivery Time

Unit	<input type="text"/>	Operating pressure P min	<input type="text"/>	P max	<input type="text"/>
Unit	<input type="text"/>	Operating temperature T min	<input type="text"/>	T max	<input type="text"/>
		Ambient temperature Ta min	<input type="text"/>	Ta max	<input type="text"/>